

PCT/EP03/08615
3M ESPE AG

22nd July 2004
E70036PC FI/sl

Amended patent claims

5

1. Composition comprising at least the two components Z1 and Z2, the composition comprising,

10 a) as component Z1, at least one polyaddition product or at least one polycondensation product having on average 2 aziridino groups or more and a molecular weight of at least 1000 and,

15 b) as component Z2, at least one compound having 1 aziridino group, at least one compound according to component Z2 differing, in its chemical make-up, from at least one compound according to component Z1 in at least one further feature other than the number of the aziridino groups, the difference from component Z1 consisting at least in one or two or more of the following further features:

20 i) number average of the molecular weight,
ii) weight average of the molecular weight,
iii) polydispersity,
iv) composition of the polymer backbone,
v) end groups.

25

2. Composition according to claim 1, characterised in that it comprises, as component Z1, at least one polymer selected from the group consisting of polyethers, polyesters, polyurethanes and polydimethylsiloxanes.

3. Composition according to claim 1 or 2, characterised in that it comprises, as component Z1, a polyether having at least a proportion of tetrahydrofuran units.
- 5 4. Composition according to one of claims 1 to 3, characterised in that it comprises, as component Z2, a compound selected from the group consisting of polyethers, polyesters, polyurethanes and polydimethylsiloxanes.
- 10 5. Composition according to one of claims 1 to 4, characterised in that it comprises, as component Z2, a compound having a molecular weight of 300 or more.
- 15 6. Composition according to one of claims 1 to 5, characterised in that it comprises an additive or a mixture of two or more additives.
7. Process for the preparation of a composition according to one of claims 1 to 6, wherein two components Z1 and Z2 are mixed together, there being used,
- 20 a) as component Z1, at least one polyaddition product or at least one polycondensation product having on average 2 aziridino groups or more and a molecular weight of at least 1000 and,
- 25 b) as component Z2, at least one compound having 1 aziridino group, and at least one compound according to component Z2 differing, in its chemical make-up, from at least one compound according to component Z1 in at least one further feature other than the number of the aziridino groups, the difference from component Z1 consisting at least in one or two or more of the following further features:

5

- i) number average of the molecular weight,
- ii) weight average of the molecular weight,
- iii) polydispersity,
- iv) composition of the polymer backbone,
- v) end groups.

10

8. Dental material comprising at least one basic component B and at least one catalyst component K, basic component B comprising at least one composition according to one of claims 1 to 6 and catalyst component K comprising at least one catalyst for the cross-linking of at least part of basic component B.
- 15
9. Dental material according to claim 8, characterised in that it has after mixing of basic component B and catalyst component K at room temperature, within a period of 20 minutes or less, a Shore A hardness of at least 80 % of the value of Shore A hardness reached after 24 hours.
- 20
10. Use of a composition according to one of claims 1 to 6 as basic component B for coatings, impression materials, seals or dental moulding materials.
- 25
11. Use of a compound having 1 aziridino group in accelerating the setting rate of dental materials according to one of claims 8 and 9.
12. Kit for producing dental materials, comprising at least one composition according to one of claims 1 to 6 as basic component B and at least one catalyst component K comprising a catalyst for the cross-linking of at least part of basic component B, the components B and K being present separated from one another.

13. Containers and mixing devices containing a dental material according to claim 8 or 9.